
GUIDELINES



DATASTAX GUIDELINES


| Logo | 03 |
|------------------|----|
| Product Logos | |
| Typography | |
| Chevron | |
| Color | 25 |
| Atomic Triangles | |
| Iconography | |
| Illustration | |
| Diagrams | |
| Photography | |
| Video | 48 |





VISUAL IDENTITY





LOGO




DATASTAX GUIDELINES > LOGOS

Logo

Our primary logo should be used for all external-facing communications whenever possible.

Clearspace

Clear space for the logo is equal to the height of the logo X.



| | Х |
|--|---|
| | |
| | Х |



DATASTAX GUIDELINES > LOGOS


lcon

Icon will only be used in small instances. ie in social media profile pictures.

Clearspace

Clearspace for the logo is equal to the height of the logo.







Logo minimum size

Only the horizontal logo and symbol are appropriate for small use. Do not use the product logos for small use.

DATASTAX

DS

Minimum size for print use: 90px or 24mm

Minimum size for print use: 25px or 7mm

DATASTAX

DS

Minimum size for screen use:

60рх

Minimum size for screen use: 15px



Background usage Primary colours

The reverse logo should be used primarily on a black background. The black logo used on light colors.

DATASTAX

DATASTAX

DATASTAX





Background usage Secondary colours

Do not use the Logo with the secondary color backgrounds.

Secondary color usage guidelines can be found on page 25.



DATASTAX DATASTAX DATASTAX L.\TASTAX DATASTAX DATASTAX






Logo misuse

Do not manipulate the word mark in any way. Here you can find a few examples of logo misuse.

Some other examples of what not to do when using our word mark system:

- You should not try to type it in a different font.
- Change the spacing or letter sizes within the logo.
- Use a low-resolution version.





Don't skew, distort or warp the logo.

DATASTAX

Don't change the color of the logo

DATASTAX

Don't change the transparency of the logo.

DATASTAX

DATASTAX

Don't add drop shadows or any other effects to the logo.





PRODUCT LOGOS




Product logo – Astra

- New DataStax Astra product logo
- Predominately to use in deck slides








11

Product logo – Astra

- New DataStax Astra product logo
- Reversed
- Predominately to use in deck slides











Product logo -Luna + Enterprise

- New DataStax Luna + Enterprise product logos
- Predominately to use in deck slides










Product logo -Luna + Enterprise

- New DataStax Luna + Enterprise product logos
- Reversed
- Predominately to use in deck slides











Program logos

- New DataStax program logos
- Predominately to use in deck slides

Stacked



Horizontal







Program logos

- New DataStax program logos
- Reversed
- Predominately to use in deck slides

Stacked





DOCUMENTATION



DATASTAX SUPPORT DATASTAX SUPPORT

Horizontal DEVELOPERS DATASTAX DOCUMENTATION DATASTAX



TYPOGRAPHY



DATASTAX



Headlines / Display

Use Sora as the header font for all coms

- Print
- Web
- Google Slides

Sora is a sleek and modern sans-serif font designed by the Japanese type foundry Sora Type. It has clean lines and a minimalist design, making it a great choice for a wide range of design projects. The font family includes a variety of weights, from thin to black, allowing for flexibility in typographic hierarchy and emphasis. Sora also includes support for multiple languages, making it a versatile choice for global projects. Overall, Sora is a professional and versatile font that is suitable for use in branding, headlines, and body copy.

Sora – Light

abcdefghijklmnopqrstuvwyxz ABCDEFGHIJKLMNOPQRSTUVWYXZ 0123456789

Sora – Semi Bold

abcdefghijklmnopqrstuvwyxz ABCDEFGHIJKLMNOPQRSTUVWYXZ 0123456789





Body copy

Use Noto Sans as the body font for all coms

- Print
- Web
- Google Slides

Noto Sans is a popular sans-serif font designed by Google as part of the Noto font family. Noto Sans is a Unicode font, meaning it supports a wide range of scripts and languages. It has a clean and modern design, with subtle rounded corners and a large x-height, making it highly legible at small sizes. Noto Sans is available in a range of weights, from thin to black, and includes italic versions for each weight. It is a popular choice for use in user interfaces, websites, and other digital media, as well as print design projects. Overall, Noto Sans is a versatile and professional font that is suitable for use in a wide range of applications.



Noto Sans - Regular

abcdefghijklmnopqrstuvwyxz ABCDEFGHIJKLMNOPQRSTUVWYXZ 0123456789

Noto Sans - Semi Bold

abcdefghijklmnopqrstuvwyxz ABCDEFGHIJKLMNOPQRSTUVWYXZ 0123456789






Fall back font

Use Verdana as a web safe font

- Email
- Explorer

Verdana is a popular sans-serif font designed by Matthew Carter for Microsoft in 1996. It is known for its large x-height and wide proportions, making it highly legible at small sizes on screen. Verdana was designed specifically for use on computer monitors, and is a popular choice for use in web design and user interfaces. It is available in a range of weights, from light to bold, and includes italic versions for each weight. Verdana has a clean and modern design, with subtle rounded corners and a large x-height, making it a versatile and professional font suitable for use in a wide range of digital media projects.



Verdana - Regular

abcdefghijklmnopqrstuvwyxz ABCDEFGHIJKLMNOPQRSTUVWYXZ 0123456789

Verdana - Bold

abcdefghijklmnopqrstuvwyxz ABCDEFGHIJKLMNOPQRSTUVWYXZ 0123456789





Hierarchy

Clear hierarchy of information ensures ease of consumption.


PRE HEADER

Hea Section

Subhead

Body

| | WEIGHT | LEADING | TRACKING | CASE |
|----------|-----------|---------|----------|-------|
| 2 | Semi Bold | 130% | 4% | Upper |
| ader | Sami Pold | 11006 | 0 | Lowor |
| | Semi Bold | 110% | 0 | Lower |
| n header | Light | 110% | 0 | Lower |
| | Semi Bold | 160% | 0 | Lower |
| | | | | |
| | Regular | 160% | 0 | Lower |
| | | | | |






Breakdown

Breakdown of a typical web component.

Sora - Eyebrow 100 Semibold

Sora - H2 Display 700 Semi Bold

Noto Sans - BC Text 500 Regular






CHEVRON



Chevron

The chevron is used as a graphic element that precedes the first line of any main headings. When using the chevron as a graphic element for headings please conform to these conventions.

- The chevron is aligned to the first line.
- The chevron is equal the height X height.
- The spacing before is equal to 1x X height.
- Spacing goes to the text box, not the text itself.
- The chevron is only used in main headings.





COLOR




Primary colors

Here you can find the three primary colors consisting of black, white and purple.


Tints

The various tints and shades are used predominantly for illustrative purposes in illustrations, diagrams and infographics.




| | WHITE | PURPLE |
|------------------------------------|---|--|
| primary color for s and objects | White and white space is key for our brand | Purple brings our punchy brand color into quotes and other modules |
| 100 | #FFFFF RGB 255,255,255 CMYK 0, 0, 0, 0 | #6B1C96 RGB 107,28,150 CMYK 75, 100, 0, 0 |
| ACK C | PANTONE NA | PANTONE P 93-8 C |
| | #B7C0C4 | #3C1055 |
| | #C2CACF | #4C146B |
| | #CED5D9 | #5B1880 |
| | #DAE0E3 | #7F3AA4 |
| | #E6EBED | #9259B2 |
| | #F2F6F7 | #A677C0 |





Secondary colors

Our secondary colors and tints are predominantly used for illustrative purposes



| #C0085C#D90036RGB 192, 8, 92RGB 217, 0, 54CMYK 0, 72, 39, 25CMYK 0, 85, 64,15PANTONE P 71-16 CPANTONE 199 C |
|---|
| #9A064 #AE002B |
| #CC377B #E1335E |
| #D9659A #E86686 |
| #E594B9 #F099AF |
| |
| #F2C2D8 #F4B3C3 |
| #9A064 #AE002B |





Secondary colors

Our secondary colors and tints are predominantly used for illustrative purposes


| ORANGE | TANGERINE | YELLOW |
|---|--|---|
| #E64328 RGB 230, 67, 40 CMYK 0, 64, 75,10 PANTONE P 45-8 C | #F28719 RGB 242, 135, 25 CMYK 0, 64, 75, 10 PANTONE 144 C | #FFCA0B RGB 255, 202, 11 CMYK 0, 21, 96, 0 PANTONE 109 U |
| #AE002B | #C26C14 | #CCA209 |
| #EB6953 | #F59F47 | #FFD53C |
| #F08E7E | #F7B775 | #FFDF6D |
| #F5B4A9 | #FACFA3 | #FFEA9D |
| #FAD9D4 | #FCE7D1 | #FFEFB6 |
| #FDECE9 | #FEF3E8 | #FFFAE7 |



Gradients

Our dynamic gradient library creates depth and brings lively quality to our brand

Angle of gradients: Any thing beyond a square ratio use a 90 degree gradients angle





90 degrees



ASTRA GRADIENT

#271734

| , | | SECONDARY | | SECONDARY | |
|---------|---------|------------|---------|-------------------|---------|
| | | 2 COLOR | | 2 COLOR | |
| Т | | GRADIENT A | | GRADIENT B | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| #D90036 | #FFCA0B | #6B1C96 | #D90036 | #D90036 | #FFCA0B |
| | | | | | |


| T | | <section-header></section-header> | | <section-header></section-header> | |
|---|---------|-----------------------------------|---------|-----------------------------------|---------|
| | #6B1C96 | #271734 | #A71181 | #271734 | #C0085C |





Accessibility

These text and background color combinations allow for sufficient contrast, which helps people easily connect to our work.





> ATOMIC TRIANGLES




Atomic triangles


Speed and scale


DNA to unify every visual element


- Strongest structure in nature
- Relates to arrows (speed, direction)
- Compounds and scales into infinite forms
- Timeless forward-looking aesthetic


















ICONOGRAPHY




Ul icons

UI icons are used for navigation, notifications, and to represent actions. UI icons should only be used on interactive web elements and should always provide a function.











Feature icons

Feature icons are used for more complex, abstract concepts.

Feature icons should only be used as visual descriptors for features and benefits. The atomic triangle grid should always be included when using these icons.


Each icon has four color states for different backgrounds and preferences:


Black = For use on white or light gray

White = For use on black or similar


Gradient on Light = For use on white


Gradient on Dark = For use on black

























ILLUSTRATION



Illustration

These are specific illustrations for the DS products. Don't recreate these








DIAGRAMS



Types of connections.






Types of nodes.


RECTANGLE NODE

5PX ROUND CORNER NODE

PILL NODE




PIPELINE NODE






Usage examples.

PILL NODE





Usage examples.





Photography

People

When choosing photography, look for images that have connections to the color guidelines.

Choose images that are friendly, engaging and where people aren't looking directly at the camera.









GERIN





ELLOW




Stock photography for decks

If you need a data stock image, look for images that have connections to the copy. Use these 5 examples as references points.

In Photoshop, add a solid color layer over the image and set the blending mode to 'Color'. Choose a color from the palette that compliments the image.










TANGERINE

FUCHSIA





Triangle patterns

Building atomic triangle patterns to use as full image overlays.

- Half tone
- Triangle grid
- Random sized triangles

A A A **L A A**







| / | |
|------------|--------|
| | |
| | |
| \nearrow | \leq |
| | |
| | |
| | / |
| | |
| | < |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| > | |
| / | |
| | |
| | |
| | |
| | \geq |
| | |
| | |
| | |
| | |
| | |
| / | \leq |
| | |
| | |
| | / |
| | |
| | |
| | |


Triangle pattern overlays

Atomic triangle patterns in various full image overlays.

> Half tone pattern, using a library gradient that suits the chosen imagery

Half tone pattern white gradient to transparent. Subject in front


Uniform triangle pattern with dark gradient overlay. Subject infront of pattern











VIDEO



When creating video assets please use the following elements:

- Introduction bumper sequence
- Primary title sequence
- Secondary title sequence
- Transition sequence
- Lower third sequence
- Outro bumper sequence




DATASTAX



When creating video assets please use the following elements:


- Introduction bumper sequence
- Primary title sequence
- Secondary title sequence
- Transition sequence
- Lower third sequence
- Outro bumper sequence





Build fast, Scale without limits

Build fast, Scale without limits




Build fast, Scale without limits



When creating video assets please use the following elements:

- Introduction bumper sequence
- Primary title sequence
- <u>Secondary title sequence A</u>
- Transition sequence
- Lower third sequence
- Outro bumper sequence



Real-Time AI



Firstname Lastname Title, or short paragraph. Sorem ipsum dolor sit amet, consected adipisiong elit, se-d do ekusmod.



When creating video assets please use the following elements:

- Introduction bumper sequence
- Primary title sequence
- <u>Secondary title sequence B</u>
- Transition sequence
- Lower third sequence
- Outro bumper sequence

Real-Time Al



Firstname Lastname Title, or short paragraph. Lorem Ipsum dolor sit amet, consectetar adipiscing elit, se-id do eiusmod.



Firstname Lastname Title, or short paragraph. Lorent gourn dolor sit arriet, consectetur adipiscing eiit, se-d do eiusmod



Firstname Lastname Title, or short paragraph. Lorem (psum dolor sit amet, consectetur adpiscing elit, se-d do eiusmot.

> Real-Time Al



Firstname Lastname Title, or short paragraph. Lorem ipsum dolor sit amet, consectetur adipiscing elit, se-d do elusmod.



Firstname Lastname Title, or short paragraph. Lorent ipsum dolor sit artiet, consectetur adipliscing efit, se-d do elusmod.





Firstname Lastname Title, or short paragraph. Lorem psum dolor sit amet, consectetur adipiscing elit, se-id do elusmod.



When creating video assets please use the following elements:

- Introduction bumper sequence
- Primary title sequence
- Secondary title sequence
- <u>Transition sequence</u>
- Lower third sequence
- Outro bumper sequence








When creating video assets please use the following elements:

- Introduction bumper sequence
- Primary title sequence
- Secondary title sequence
- Transition sequence
- Lower third sequence 1 + 2
- Outro bumper sequence





When creating video assets please use the following elements:

- Introduction bumper sequence
- Primary title sequence
- Secondary title sequence
- Transition sequence
- <u>Lower third sequence 3</u>
- Outro bumper sequence





When creating video assets please use the following elements:

- Introduction bumper sequence
- Primary title sequence
- Secondary title sequence
- Transition sequence
- Lower third sequence
- <u>Outro bumper sequence</u>



DATASTAX



THANK YOU